

ROTORY HAMMER Z1C-QS04-26B



Special space-used type Steel, military-industrial type Air Cylinder and Single Piston Ring improve Hammer Force by 100%



Special military-industrial type Gear, strong wear-resisting



Double bearings, to protect gear more effectively.

Imported Grease, Super-Strong Motor enable its breaking ability.



Top Chinese Wuyi-brand Varnished Wire, Huge-Input, High Temperature Resistance, up to level 220°C



3.5m/ 11.5ft long electric wire, more convenient.

Appellation	Unit	Data
Rated Voltage	v	220
Rated Frequency	hz	50/60
Rated Input	w	850
No-load Speed	r/min	800
Disc Diameter	mn	26
Package Quantity	pcs/ctn	3
Net Weight	kg	5.1

China Most Professional Stone Power Tools

Imported Grease, Super-Strong Motor enable its breaking ability. Professional design for quarrying, punching rate is improved more than twice.

Range: Mines quarrying, Indoor decorating, Highway bridge drilling etc.

Characteristics: Huge-Input, High-Speed, Long-Time Operation.

ANGLE GRINDER

Z1M-QS12-230E



Max Disc Diameter: 230mm/ 9 inches



Top Chinese Wuyi-brand Varnished Wire, Huge-Input, High Temperature Resistance, up to level 220°C.



Thin Handle design, easier to control.

Coil Spring Structure, makes it more durable

Imported NSK-brand Bearing, improve the life of machine

Appellation	Unit	Data
Rated Voltage	v	220
Rated Frequency	hz	50/60
Rated Input	w	2400
No-load Speed	r/min	6600
Disc Diameter	mn	230
Package Quantity	pcs/ctn	3
Net Weight	kg	5.4

Max input design, up to 3880W
 Designed for professional stone processing.
 Range: Marble cutting and polishing
 Characteristics: Huge-Input, High-Speed, Long-Time Operation.

DISC SANDER

S1A-QS01-150



Appellation	Unit	Data
Rated Voltage	v	220/110
Rated Frequency	hz	50/60
Rated Input	w	600
No-load Speed	r/min	4700
Disc Diameter	mn	150
Package Quantity	pcs/ctn	5
Net Weight	kg	2.8

China Most Professional Stone Power Tools
 Range: Various Marbles, Tombstones, Onyx stones polishing
 Characteristics: Huge-Input, Long-Life, Long-Time Operation.

WET GRINDER Z1M-QS12-100A

BIG SALE



Top Quality Faucet, Better Waterproof.



Constant Soft Start-up, 6-Level Switches give you more choices.



Various sizes Armatures
(M14 & M16 & 5/8-11)



(RCD) Residual Current Device, makes you feel better and safer.



Various Plugs for different countries.

Appellation	Unit	Data
Rated Voltage	v	220/110
Rated Frequency	hz	50/60
Rated Input	w	600
No-load Speed	r/min	4700
Disc Diameter	mn	150
Package Quantity	pcs/ctn	5
Net Weight	kg	2.8

This machine enables to make a Bush-hammered marble surface
 China Most Professional Stone Power Tools
 Range: Various Marbles, Tombstones, Onyx stones polishing
 Characteristics: Constant Soft Start-up, Add-water, Long-Time Operation

MARBLE CUTTER

Z1E-QS06-110



Top Chinese Wuyi-brand Varnished Wire, High Temperature Resistance, up to level 220°C.


Comfortable Arc-Shape Handle design, Anti-Fatigue, easier for cutting



Imported NSK-brand Bearing, improving the life of machine.



Imported Water-Sealed, strengthen the ability of waterproof.



Professional Back Plate design, No Water Spray.



Copper Faucet, More Durable.



45° Adjustable Base Plate.

Appellation	Unit	Data
Rated Voltage	v	220/110
Rated Frequency	hz	50/60
Rated Input	w	1240
No-load Speed	r/min	12000
Disc Diameter	mn	34
Package Quantity	pcs/ctn	2206
Net Weight	kg	3.2

Range: Marble, Porcelain, Concrete cutting.
 Characteristics: Huge-input, Add-water, Massive Operation

ANGLE GRINDER S1M-QS02-100T



Dust-Proof Switch, smoothly controlled.



Constant Speed Control, Longer Life.



Armature Lock Button, easier to control.



Two-way Selection Handle, more convenient.

Stator twined by Gauze avoid dust in.



Appellation	Unit	Data
Rated Voltage	v	220/110
Rated Frequency	hz	50/60
Rated Input	w	850
No-load Speed	r/min	0~11000
Disc Diameter	mn	100
Package Quantity	pcs/ctn	10
Net Weight	kg	1.7

Range: Marble cutting and polishing.
 Characteristics: Constant Speed Control, Low Temperature Rise Speed, Long Time Operation.

DIAMOND CORE DRILL Z1Z-QS09-160B



Imported Water-Sealed,
strengthen the ability of waterproof.



Professional Drill Base – Handed Operation,
Desk Type Operation all available.



Constant Soft Start-up Device,
with Over-Load Protector,
Safer for Operation.

Appellation	Unit	Data
Rated Voltage	v	220
Rated Frequency	hz	50/60
Rated Input	w	2400
No-load Speed	r/min	2000
Disc Diameter	mn	160
Package Quantity	pcs/ctn	3
Net Weight	kg	6.7

Range: Marble, Wall Hole Drilling.
Characteristics: Huge-input, Long Time Operation

ARMATURE

